



# How to activate an eSIM on your phone

**Method 1**

**QR Code Setup**

..... page 2

**Method 2**

**Manual Setup**

..... page 10

\*The screen display can differ based on the device and OS version.




**JAPAN WIRELESS eSIM**


Stay Connected, Anywhere in Japan

# Method 1: QR Code Setup

# QR Code Setup




1. Go to [**Settings**] and tap [**Cellular**]




2. Tap [**Add Cellular Plan**]

# QR Code Setup



3. Tap [**Use QR Code**]




4. Scan your QR Code of your order

## QR Code Setup




5. Tap [**Continue**]




6. Tap [**Done**]

## QR Code Setup



7. Tap [**Continue**]




8. Select **Primary** and tap [**Continue**]

## QR Code Setup




9. Select **Primary** and tap [**Continue**]




10. Select **Second Choice** and tap [**Continue**]

# QR Code Setup




11. Tap the eSIM you added



12. Turn on [Data Roaming]




## QR Code Setup



13. Make sure those are corresponding


## How to enable hotspot




14. Under [**Cellular Data Network**] add the APN: **m-air.jp** as shown

## **Method 2: Manual Setup**

# Manual Setup




1. Go to [**Settings**] and tap [**Cellular**]




2. Tap [**Add Cellular Plan**]

## Manual Setup




3. Tap **[Enter Details Manually]**




4. Type **SM-DP+ Address** and **Activation Code**

# Manual Setup




5. Tap [**Continue**]




6. Select **Primary** and tap [**Continue**]

# Manual Setup




7. Select **Primary** and tap [**Continue**]




8. Select **Second Choice** and tap [**Continue**]

# Manual Setup




9. Tap the eSIM you added




10. Turn on [Data Roaming]

## Manual Setup



11. Make sure those are corresponding

## How to enable hotspot



12. Under [**Cellular Data Network**] add the APN: **m-air.jp** as shown